

DUROPAL | thermopal

PFLEIDERER

DUROPAL XTREME PLUS:
THE MATT SURFACE WITH ADDED VALUE **4**

Easier to clean 6
More resilient 10
More diverse 14

PRODUCT OVERVIEW **18**

PRODUCT INFORMATION

Duropal XTreme plus 20
Duropal Element XTreme plus P2 22
Duropal Element XTreme plus P3 24
Duropal Element XTreme plus MDF plus 26
Duropal Worktop XTreme plus P2,
square edge profile 28

NATURALLY SUSTAINABLE **30**

DUROPAL XTREME PLUS:
SO SUPERMATT SIMPLY STAYS BEAUTIFUL

Now matt design concepts are coming into practice once and for all: The improved XTreme plus surface ensures that the fascinating super-matt finish is also uniquely easy to clean. uniquely easy to clean. This makes it the right choice for horizontal applications and also makes everyday soiling quick and easy to forget.

MORE VERSATILE

LOADABLE

EASIER TO CLEAN

EASIER TO CLEAN

FINALLY A MATT SURFACE, **ON WHICH STAINS ARE NOT AN ISSUE**

The new XTreme plus surface has been developed so that most stains can be stains can be easily removed. This ensures that matt design concepts in matt always present themselves as real eye-catchers, even in everyday life.

COMMON SOILING
EASY TO REMOVE

What seems complicated with many other products is quite simple with XTreme plus simple: most common everyday stains can be easily removed – using cleaning agents with cleaning agents that can be found in every household. And the smart anti-fingerprint effect ensures that hand perspiration does not leave any permanent leaves no permanent marks.

Simply wipe with a dry microfibre cloth wipe

JUICE

COFFEE

BEETROOT

Simply wipe with a
dry microfibre cloth wipe

DISH OIL

Remove the butter with a microfibre cloth and then clean with a grease-dissolving all-purpose cleaner and a microfibre cloth clean again

BUTTER

Thanks to the anti-fingerprint effect, hand perspiration cleaning is not necessary

HAND WELDING

ORDER SAMPLE FREE OF CHARGE NOW!

Find out more about the fascinating, easy-care XTreme plus surface on our website!



SUPER MATT MEETS RESISTANT – **FOR HIGHLIGHTS THAT LAST STAY BEAUTIFUL**

XTreme plus is more scratch-resistant and hard-wearing than comparable matt surfaces. This makes it perfectly suited to maintaining the unique super matt look and high-quality feel even on horizontal, heavily used surfaces.

STYLISH AND UP TO THE CHALLENGES

UP TO THE CHALLENGES OF EVERYDAY LIFE

When things get hectic, furniture can be subject to heavy wear and tear. Then it’s good to know that the matt XTreme plus surface sets new standards in terms of robustness. new standards in terms of robustness. It is less sensitive to external influences than other matt surfaces and can generally withstand everyday wear and tear.



MORE VERSATILE

MATT THAT SIMPLY GOES WITH EVERY GOOD IDEA

With a total of 24 plain decors available in the stock programme, XTreme plus always strikes the right note. The colour palette opens up a wide range of design options to showcase the fascinating matt look on furniture and kitchen surfaces in any desired style.

SIMPLY SET THE TONE
AND COMBINE CONVINCINGLY

The XTreme plus colour palette picks up on current interior trends and realises them consistently and with strong combinations. The elegant matt appearance gives the individual the individual decors an almost tangible, spatial depth that invites you to invites you to experience the surface haptically.

U11027 XPSM Icy White

U11026 XPSM Crystal White

U11102 XPSM Chalk

U12188 XPSM Light Grey

U12115 XPSM Platinum Grey

U12290 XPSM Anthracite Grey

U12044 XPSM Dolphin Grey

U12168 XPSM Cashmere

U16001 XPSM Sand Greige

U12986 XPSM Grey

U12233 XPSM Metallic Black

U12000 XPSM Volcanic Black

U19024 XPSM Reed Green

U19027 XPSM Herb

U18501 XPSM Fjord

U16068 XPSM Hazel

U12257 XPSM Graphite

U16058 XPSM Be rooted!

U18042 XPSM Blue Shadow

U18043 XPSM Poseidon

U18004 XPSM Dark Blue

U18074 XPSM Atlantic

U19008 XPSM Labrador

U18006 XPSM Skagerrak

PRODUCTS

For stylish, cross-trade concepts, XTreme plus is available in a broad product portfolio for a wide range of functional requirements in kitchen and furniture construction and interior design. It includes HPL laminate, composite elements on P2 and P3 substrates, composite elements on MDF substrates and the Duropal worktop XTreme plus P2, square milled.

Duropal XTreme plus



Decorative high-pressure laminate in postforming quality in accordance with EN 438-3:HGP/VGP, with robust lacquered surface and sanded reverse. Duropal XTreme Pura is an attractive supermatt surface material with an anti-fingerprint effect.

AREAS OF APPLICATION

Furniture and interior fitting

Doors

Attractive surface material, appropriate for surface and edge applications providing the high-performance features of the well-known Duropal HPL products. Duropal XTreme Pura may be used vertically as well as horizontally.

PRODUCT FEATURES

Variety of decors and / or textures

Easy care

Anti-fingerprint

Food harmless

Particularly low emission

Product standard	In accordance with EN 438-3
Reaction to fire	Normally flammable Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT acc. to 2003/593/EG)
Formaldehyde emission class	E1 E05
Density	Min. 1,350 kg/m³ (EN ISO 1183-1)
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
2,050–5,300	1,300	0.6 | 0.8
2,150	915	0.8
2,150	950	0.8
2,150	1,050	0.8
2,150	1,300	0.8
2,350	950	0.8
2,350	1,300	0.8
3,050	1,300	0.8
4,100	1,300	0.6 | 0.8
5,300	1,300	0.6 | 0.8

PEFC/04-32-0828

The mark of responsible forestry

www.blauer-engel.de/uz76

Duropal Element XTreme plus P2



HPL bonded board consisting of a particleboard type P2 conforming to EN 312, surfaced on both sides with Duropal XTreme Pura, an attractive supermatt surface material with an anti-fingerprint effect.

AREAS OF APPLICATION

Furniture and interior fitting

Furniture production and interior design wherever high demands are made on quality and durability: For kitchen and interior design furniture, in shop fitting and partition wall construction, for interior fitting of banks, offices, schools, clinics, laboratories, retail buildings, in shipbuilding and motor vehicle construction.

PRODUCT FEATURES

- Variety of decors and / or textures
- Easy care
- Anti-fingerprint
- Food harmless
- Particularly low emission

Product standard	In accordance with EN 13894-1
Core material	ClassicBoard P2 Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas.
Reaction to fire	Normally flammable D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG): 4,100 x 1,300 x 16–25 mm
EC scope	EN 438-7:2005 HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)
Formaldehyde emission class	E1 E05 TSCA Title VI
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
4,100	1,300	9.6 | 16 | 17.6 | 19 | 20.6 | 25 | 29.6 | 39.6

PEFC/04-32-0828

The mark of responsible forestry

www.blauer-engel.de/uz76

DECORATIVE PANELS
XTREME PRODUCTS

Duropal Element XTreme plus P3



HPL bonded board consisting of a particleboard type P3 for damp areas, surfaced on both sides with Duropal XTreme Pura, an attractive supermatt surface material with an anti-fingerprint effect.

AREAS OF APPLICATION

Furniture and interior fitting

Ideal for surfaces in furniture production and interior fitting where exceptional sturdiness and moisture resistance is required:
For kitchen and bathroom furniture, elements in sanitary areas, in shop fitting and interior design construction, in clinics and laboratories plus workplaces such as in the foodstuffs processing industry.

PRODUCT FEATURES

- Variety of decors and / or textures
- Easy care
- Anti-fingerprint
- Food harmless
- Low swelling / moisture resistant
- Particularly low emission

Product standard	In accordance with EN 13894-1
Core material	ClassicBoard P3 Melamine resin bonded particleboard type P3, suitable for non load-bearing purposes in damp areas.
Reaction to fire	Normally flammable D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)
EC scope	EN 438-7:2005 HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)
Formaldehyde emission class	E1 E05
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
4,100	1,300	17.6 | 20.6

PEFC/04-32-0828

The mark of responsible forestry

www.blauer-engel.de/uz76



Duropal Element XTreme plus MDF plus



HPL bonded board consisting of a medium-density fibreboard (MDF) with uniform structure, surfaced on both sides with Duropal XTreme Pura, an attractive supermatt surface material with an anti-fingerprint effect.

AREAS OF APPLICATION

Furniture and interior fitting

Decorative, sturdy elements for furniture and interior design where a uniform core material with very high edge quality – for profiling and lacquering – is required: e. g. in restaurants and shop fitting and for office and interior furniture.

PRODUCT FEATURES

Variety of decors and / or textures · Easy care · Anti-fingerprint · Food harmless

Product standard	In accordance with EN 13894-1
Core material	StyleBoard MDF plus Medium-density fibreboard (MDF), with a uniform structure.
Reaction to fire	Normally flammable D-s2,d0 (EN 13501-1, CWFT acc. to 2003/593/EG)
Formaldehyde emission class	E1 E05 TSCA Title VI
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
4,100	1,300	17.6 | 20.6

PEFC
PEFC/04-32-0828

FSC
www.fsc.org
FSC® C011773
The mark of responsible forestry

Duropal Worktop XTreme plus P2, square edged profile



Worktop consisting of a particleboard type P2 conforming to EN 312, decor side surfaced with Duropal HPL, Duropal XTreme Pura, Duropal XTreme Touch or Duropal XTreme plus, underside with water-repellent backing. The longitudinal edges of the worktop are machined. It is also available as a variant with a protective edge on one longitudinal side. Duropal XTreme Pura, Duropal XTreme Touch as well as Duropal XTreme plus are an attractive supermatt surface material with an anti-fingerprint effect.

AREAS OF APPLICATION

Furniture and interior fitting

Duropal worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants, as well as doctors' surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

PRODUCT FEATURES

- Variety of decors and / or textures
- Easy care
- Antimicrobial
- Food harmless
- Particularly low emission
- Anti-fingerprint
- High scratch resistance

Product standard	In accordance with EN 13894-1
Core material	ClassicBoard P2 Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas.
Formaldehyde emission class	E1 E05 TSCA Title VI
Antimicrobial effect	Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196
Note	You can find comprehensive accessories for our worktop range at www.pfleiderer.com. FSC certification or PEFC certification available on request.

FORMAT IN MM			**DESIGN OF**	
Length	**Width**	**Thickness**	**front edge**	**rear edge**
4,100	600	38 | 39	protective edge	milled
4,100	600	38 | 39	milled	milled
4,100	900	38 | 39	protective edge	milled
4,100	900	38 | 39	milled	milled
4,100	1,200	38 | 39	protective edge	milled
4,100	1,200	38 | 39	milled	milled
5,300	600	38 | 39	protective edge	milled
5,300	600	38 | 39	milled	milled
5,300	900	38 | 39	protective edge	milled
5,300	900	38 | 39	milled	milled
5,300	1,200	38 | 39	protective edge	milled
5,300	1,200	38 | 39	milled	milled

PEFC/04-32-0828

The mark of responsible forestry

www.blauer-engel.de/uz76

HIGHLIGHTS IN MATT
NATURALLY SUSTAINABLE

Those who rely on wood as a raw material rightly expect an environmentally conscious “green” material. At Pfleiderer we want to do full justice, to this to commodity, therefore been offering an extensive range of low-emission and environmentally friendly products for many years. Sustainability – in addition to ecological, social and economic aspects – as well as the careful use of natural resources are permanent pillars of our corporate philosophy. Consistent circular economy and wood recycling at the highest technological level as well as independent evaluation of our procurement, production and logistics processes ensure that we optimally harmonise qualitative our ecological requirements ensuring that we offer our customers the best possible service, manufacturing and logistics processes as well as a corporate culture of accountability. We ensure that you can use our products with a clear conscience and recommend them to your customers.

WINNER
German Sustainability Award 2024

Rated SUSTAINALYTICS

PLATINUM Top 1%
ecovadis
Sustainability Rating
NOV 2024

BLUE ANGEL
THE GERMAN ECOLABEL
www.blauer-engel.de/uz76

FSC
www.fsc.org
FSC® C011773
The mark of responsible forestry

PEFC
PEFC/04-32-0828
By sourcing PEFC, Pfleiderer Deutschland GmbH is supporting sustainably managed forests globally.
www.pefc.org

Get to know our sustainability strategy in more detail:
pfleiderer.com/sustainability

Pfleiderer meets the challenge with traditional entrepreneurial care, to produce engineered wood of the highest quality. With an integrated management system for quality, environment, energy and safety, a value-based values-based corporate culture and independent certification along the entire along the entire value chain. With environmental management systems that certified in accordance with ISO EN 14001 and ISO 50001, certifications in accordance with FSC® (licence code: FSC® C011773) and PEFC (licence code: PEFC/04-32-0828) as well as As a member of the Wood-Based Panels Quality Association, we place great value transparency for our customers and partners.

MADE IN GERMANY

MAKE YOUR VISIONS WORK.
NATURALLY **SUSTAINABLE**



Order samples online at any time:
samples.pfleiderer.com

© Copyright 2025 Pfleiderer Deutschland GmbH.
This information is issued with great care. We do not however accept any responsibility for the accuracy, completeness and timeliness.
There may be slight colour differences between the printed brochure image and the actual design.

Due to the continuous development and modification of our products, possible changes to the relevant standards, laws and regulations, our technical data sheets and product documents expressly do not represent a legally binding guarantee of the properties specified therein. In particular, no suitability for a specific purpose can be derived from this information. It is therefore the personal responsibility of the individual user to check the processing and suitability of the products described in this document for the intended use and to take into account the legal framework and the current state of the art. Furthermore, we expressly refer to the validity of our general terms and conditions.

You can find our general terms and conditions on our webpage: **www.pfleiderer.com**

MADE IN GERMANY

Good to know: the Pfleiderer quality promise.
Pfleiderer wood-based panels stand for quality without compromise. We use sustainable raw materials and state-of-the-art production processes and we are fully committed to our site in Germany. For more information, visit **quality.pfleiderer.com.**

1 · 03/2025 · Subject to modification and errors. Colour deviations caused by printing technology are possible.

Pfleiderer UK Limited · Greenway House · Larkwood Way · Tytherington Business Park · Macclesfield · Cheshire SK10 2XR · England
Tel.: +44 (0) 16 25 660 410 · info-uk@pfleiderer.com · www.pfleiderer.com

Pfleiderer Deutschland GmbH · Ingolstädter Straße 51 · 92318 Neumarkt · Germany
Tel.: +49 (0) 91 81 / 28 480 · Fax: +49 (0) 91 81 / 28 482 · info@pfleiderer.com · www.pfleiderer.com